



Hoffman[®]

FUSION G7[™] ENCLOSURES

DESIGN WITH CONFIDENCE[™]

EQUIPMENT PROTECTION SOLUTIONS

GLOBAL WALL-MOUNT ENCLOSURE PLATFORM

FUSION G7™

THE ADVANCED, GLOBAL WALL-MOUNT ENCLOSURE PLATFORM WITH SCALABLE COMPONENT MOUNTING

FUSION G7™ Wall-Mount Enclosures feature 3D mounting capability with metric sizing, offering the ultimate wall-mount enclosure platform. Designed to global standards, FUSION G7 takes internal component mounting versatility and rugged IP66 protection to the next level. Featuring an advanced, scalable design with a host of internal component mounting provisions and options, assemble-to-order FUSION G7 facilitates door, side panel and back panel mounting flexibility, expanding the traditional limits of capacity and creating the most efficient and cost-competitive enclosure footprint available.

To accommodate diverse applications, FUSION G7 is available in thirty standard metric sizes ranging from:

- 300-1500 mm high
- 300-900 mm wide
- 150-425 mm deep



UL IP66 NEMA Type 12/4


FLUSH, 3-MM DOUBLE BIT QUARTER-TURN LATCH eliminates impact damage

REVERSIBLE DOOR with bonding provision; pre-punched holes allow easy hinge swing reversal in the field without drilling or leak points

FULL- AND HALF-HEIGHT GALVANIZED SIDE PANELS AVAILABLE; self-locating rear tab design

FULL- AND HALF-HEIGHT BACK PANELS; full-height mount directly to back stud; full- and half-panels mount to side rails for adjustable depth

EASY-TO-REMOVE HINGE PINS with "pen clip" design allow door removal without tools; facilitate easier modifications and installations



DOOR LATCHING OPTIONS

- New padlockable and keylock handles provide convenience and security
- Keyed inserts for security
- Tool-to-open padlockable inserts


CABLE MANAGEMENT PROVISIONS

- Press-on, non-metallic door bars easily attach; provide location flexibility
- Cable ties may be located at desired points



Hoffman®

GLOBAL WALL-MOUNT ENCLOSURE PLATFORM



FOR MORE INFORMATION: HOFFMANONLINE.COM/FUSIONG7

GLOBAL WALL-MOUNT ENCLOSURE PLATFORM



NORTH AMERICA

Minneapolis, MN
Tel: +1.763.421.2240
Warwick, RI
Tel: +1.401.732.3770
San Diego, CA
Tel: +1.858.740.2400
Radford, VA
Tel: +1.540.639.4440
Mexico, D.F.
Tel: +52.55.5280.1449
Toronto, Canada
Tel: +1.416.289.2770

SOUTH AMERICA

São Paulo, S.P., Brazil
Tel: +55.15.3363.9100
Boituva, Brazil
Tel: +55.15.3363.9101

EUROPE

Straubenhardt, Germany
Tel: +49.7082.794.0
Betschdorf, France
Tel: +33.3.88.90.64.90
Dzierżonów, Poland
Tel: +48.74.64.63.700

Hemel Hempstead, Great Britain
Tel: +44.1442.24.04.71

Scharpnäck, Sweden
Tel: +46.8.683.61.00

Pregnana Milanese, Italy
Tel: +39.02.932.714.1

Moscow, Russia
Tel: +7.495.730.52.53

MIDDLE EAST & AFRICA

Dubai, United Arab Emirates
Tel: +971.4.37.81.700

ASIA

Shanghai, P.R. China
Tel: +86.21.3211.4588

Qingdao, P.R. China
Tel: +86.532.8771.6101

Bangalore, India
Tel: +91.80.6715.2000

Singapore
Tel: +65.679.52213

Shin-Yokohama, Japan
Tel: +81.45.476.0271

2100 Hoffman Way, Minneapolis, MN 55303
© 2012 Pentair Equipment Protection

For worldwide locations, see pentairequipmentprotection.com
Printed in the USA BRO-00046 D